

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 6/1/2020 Revision date: 6/28/2022 Supersedes version of: 9/20/2018 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Andarta One Shot Fogging Aerosol

Product code : 33-968 Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Arrow County Supplies

Arrow House Longden Road Shrewsbury SY3 9AE

Email: sales@arrowcounty.com

Tel: 01743 283600

1.4. Emergency telephone number

Emergency number : 01634 823 900

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Aerosol, Category 1 H222;H229
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, Narcosis H336

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) : Danger
Contains : PROPAN-2-OL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use. P271 - Use only outdoors or in a well-ventilated area.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

EUH-statements : EUH208 - Contains ISO E SUPER(54464-57-2). May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
PETROLEUM GASES, LIQUEFIED (Propellant gas (Aerosol))	CAS-No.: 68476-85-7 EC-No.: 270-704-2 EC Index-No.: 649-202-00-6	50 – 70	Flam. Gas 1, H220
ETHANOL	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	10 – 30	Flam. Liq. 2, H225
PROPAN-2-OL	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0	10 – 30	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
METHANOL	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X	<1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 STOT SE 1, H370
ISO E SUPER	CAS-No.: 54464-57-2 EC-No.: 259-174-3	< 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
DIDECYLDIMETHYLAMMONIUMCHLORIDE	CAS-No.: 7173-51-5 EC-No.: 230-525-2	< 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Aquatic Chronic 1, H410
ALLYL ALCOHOL	CAS-No.: 107-18-6 EC-No.: 203-470-7 EC Index-No.: 603-015-00-6	<1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Specific concentration limits:		
Name	Product identifier	Specific concentration limits
METHANOL	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X	(3 ≤C ≤ 10) STOT SE 2, H371 (10 ≤C < 100) STOT SE 1, H370

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked

up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ETHANOL (64-17-5)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1] > 1920 mg/m ³		
METHANOL (67-56-1)		
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1] < 266 mg/m ³		
PETROLEUM GASES, LIQUEFIED (68476-85-7)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	< 1750 mg/m³	
WEL STEL (OEL STEL)	< 2180 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Odour

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless.

Odour threshold : No data available рΗ No data available Relative evaporation rate (butylacetate=1) No data available Melting point Not applicable Freezing point No data available Boiling point No data available Flash point 23 - 60 °C Auto-ignition temperature No data available Decomposition temperature No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

Explosive properties : Pressurised container: May burst if heated.

Oxidising properties : No data available

Characteristic odour.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

PROPAN-2-OL (67-63-0)	
LD50 oral rat	

Skin corrosion/irritation : Not classified

PROPAN-2-OL (67-63-0)

LD50 oral

pH Neutral

Serious eye damage/irritation : Causes serious eye irritation.

PROPAN-2-OL (67-63-0)

pH Neutral

Respiratory or skin sensitisation : Not classified

5045 mg/kg

3600 mg/kg

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

METHANOL (67-56-1)

STOT-single exposure Causes damage to organs.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ALLYL ALCOHOL (107-18-6)	
STOT-single exposure	May cause respiratory irritation.
PROPAN-2-OL (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
Aspiration hazard : Not classified	
PROXL – ANTI-BACTERIAL FOGGER AEROSOL	

SECTION 12: Ecological information

12.1. Toxicity

Vaporizer

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute

Hazardous to the aquatic environment, long-term

(chronic)

Not rapidly degradable

: Not classified: Not classified

Aerosol

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR

	ADR	
4.1. UN number		
	UN 1950	
14.2. UN proper shipping name		
	AEROSOLS	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Transport document description UN 1950 AEROSOLS, 2.1, (D) 14.3. Transport hazard class(es) 2.1 2.1 14.4. Packing group Not applicable 14.5. Environmental hazards Dangerous for the environment: No

14.6. Special precautions for user

No supplementary information available

Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2
Tunnel restriction code (ADR) : D

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals: Didecyldimethylammonium chloride (7173-51-5)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 65	Eczematiform lesions of allergic mechanism
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : ETHANOL,PETROLEUM GASES, LIQUEFIED are listed

SZW-lijst van mutagene stoffen : PETROLEUM GASES, LIQUEFIED is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : ETHANOL is listed SZW-lijst van reprotoxische stoffen – : ETHANOL is listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : ETHANOL is listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 2 - Liquefied or pressurized gases

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Acute Tox. 3 (Inhalation) Acute Tox.3 (Ora) Acute Tox.4 (Ora) Acute Tox.1 (Ora) Acute Tox.4 (Ora) Acute Tox.4 (Ora) Acute Tox.4 (Ora) Acute Tox.4 (Ora) Acute toxicity (oral), Category 3 Acute Tox.4 (Oral) Acute toxicity (oral), Category 4 Acute Tox.4 (Oral) Acute Tox.4	Full text of H- and EUH-statements:		
(Inhalation:dust,mist) Acute Tox, 3 (Oral) Acute toxicity (oral), Category 3 Acute Tox, 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 EUH208 Contains ISO E SUPER(54464-57-2). May produce an allergic reaction. Eye Irit. 2 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flammable gases, Category 1 Flam. Lip. 2 Flammable liquids, Category 2 H220 Extremely flammable aerosol. H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Causes severe skih burns and eye damage. H314 Causes severe skih irritation. H315 Causes severe skih irritation. H316 Causes serious eye irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H336 May cause damage to organs. H	Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 EUH208 Contains ISO E SUPER(54464-57-2). May produce an altergic reaction. Eye Intl. 2 Serious eye damage(eye intration, Category 2 Flam. Gas 1 Flammable gases, Category 1 Flam. Liq. 2 Flammable liquids, Category 2 H220 Extremely flammable gas. H222 Extremely flammable acrosol. H223 Pressurised container: May burst if heated. H301 Toxic if swallowed. H302 Pressurised container: May burst if heated. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an altergic skin reaction. H318 Causes skin irritation. H331 May cause an altergic skin reaction. H332 May cause of wishess or dizziness. H333 May cause damage to organs. H340 May cause damage to organs.		Acute toxicity (inhalation:dust,mist) Category 3	
Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 EUH208 Contains ISO E SUPER(54464-57-2). May produce an allergic reaction. Eye Inft. 2 Serious eye damage/eye irritation, Category 2 Flarm. Gas 1 Flammable gases, Category 1 Flarm. Gas 1 Flammable gases, Category 2 H220 Extremely flammable gas. H222 Extremely flammable agons. Extremely flammable agons. H222 Extremely flammable agons. Extremely flammable agons. H223 Highly flammable agons. Extremely flammable agons. H224 Extremely flammable agons. Extremely flammable agons. H225 Highly flammable agons. H226 Extremely flammable agons. H226 Pressurised container: May burst if heated. H228 Extremely flammable agons. H330 Toxic if swallowed. H341 Toxic if swallowed. H331 Toxic if on contact with skin. H341 Causes severe skin burns and eye damage. H331 Toxic in contact with skin use allergic skin reaction. H341 Causes skin irritation. H331 Causes damage skin irritation. H341 Causes an allergic skin reaction. H332 Min agons an allergic skin reaction w	Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 EUH208 Contains ISO E SUPER(54464-57-2). May produce an allergic reaction. Eye Irrit. 2 Serious eye damage/eye Irritation, Category 2 Flam. Gas 1 Flammable gases, Category 1 Flam. Liq. 2 Flammable liquids, Category 2 H220 Extremely flammable gas. H222 Extremely flammable liquid and vapour. H223 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye liritation. H331 Toxic if inhaled. H333 May cause damage to organs. H340 May cause damage to organs. H371 May cause damage to organs. H470 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corrosion/irrit	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
EUH208 Contains ISO E SUPER(54464-57-2). May produce an allergic reaction. Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flammable gases, Category 1 Flam. Liq. 2 Flammable liquids, Category 2 H220 Extremely flammable gas. H222 Extremely flammable aerosol. H223 Highly flammable aerosol. H229 Pressurised container: May burst if heated. H301 Toxic if swallowed. H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H331 Toxic if inhaled. H332 May cause drowsiness or dizziness. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A <td>Aquatic Acute 1</td> <td>Hazardous to the aquatic environment – Acute Hazard, Category 1</td>	Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flammable gases, Category 1 Flam. Liq. 2 Flammable liquids, Category 2 H220 Extremely flammable aerosol. H222 Extremely flammable liquid and vapour. H229 Pressurised container. May burst if heated. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause an allergic skin reaction. H336 May cause frowsiness or dizziness. H337 May cause serious eye irritation. H338 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Catego	Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Flam. Gas 1 Flammable gases, Category 1 Flam. Liq. 2 Flammable liquids, Category 2 H220 Extremely flammable gas. H222 Extremely flammable liquid and vapour. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Toxic if inhaled. H331 Toxic if inhaled. H333 May cause respiratory irritation. H336 May cause respiratory irritation. H337 Causes damage to organs. H370 Causes damage to organs. H371 Sin Causes damage to organs. H372 Sin Causes damage to organs. H373 Skin corrosion/irritation, Category 1, Sub-Category 1A Skin corrosion/irritation, Category 2 Skin Sens. 1 Specific target organ toxicity – Single exposure, Category 2	EUH208	Contains ISO E SUPER(54464-57-2). May produce an allergic reaction.	
Flam. Liq. 2 Flammable liquids, Category 2 H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Specific target organ toxicity – single exposure, Category 2 Stot SE 1 Specific target organ toxicity – Single exposure, Category 2	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H220Extremely flammable gas.H222Extremely flammable aerosol.H225Highly flammable liquid and vapour.H229Pressurised container: May burst if heated.H301Toxic if swallowed.H302Harmful if swallowed.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H331Toxic if inhaled.H335May cause respiratory irritation.H336May cause drowsiness or dizziness.H370Causes damage to organs.H371May cause damage to organs.H372Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.Skin Corr. 1ASkin corrosion/irritation, Category 1, Sub-Category 1ASkin Sens. 1Skin corrosion/irritation, Category 2Skin Sens. 1Skin sensitisation, Category 1STOT SE 1Specific target organ toxicity – single exposure, Category 2	Flam. Gas 1	Flammable gases, Category 1	
H222 Extremely flammable liquid and vapour. H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause damage to organs. H370 Causes damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Fens. 1 Skin sensitisation, Category 2 Skin Sens. 1 Skin carget organ toxicity – single exposure, Category 1 STOT SE 1 Specific target organ toxicity – Single exposure, Category 2	Flam. Liq. 2	Flammable liquids, Category 2	
H225 Highly flammable liquid and vapour. H229 Pressurised container: May burst if heated. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes sin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause respiratory irritation. H337 May cause damage to organs. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – Single exposure, Category 2	H220	Extremely flammable gas.	
H229 Pressurised container: May burst if heated. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H330 May cause respiratory irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Sens. 1 Skin sensitisation, Category 2 Skin Sens. 1 Specific target organ toxicity – single exposure, Category 2 Stort SE 2 Specific target organ toxicity – single exposure, Category 2	H222	Extremely flammable aerosol.	
H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H471 May cause damage to organs. H371 Serious daudic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 2 Specific target organ toxicity – single exposure, Category 2	H225	Highly flammable liquid and vapour.	
Hamful if swallowed. Hamful if swallow. Hamful if swa	H229	Pressurised container: May burst if heated.	
H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 May cause respiratory irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – Single exposure, Category 2	H301	Toxic if swallowed.	
H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H302	Harmful if swallowed.	
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H311	Toxic in contact with skin.	
H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H314	Causes severe skin burns and eye damage.	
H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H315	Causes skin irritation.	
H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H317	May cause an allergic skin reaction.	
H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H319	Causes serious eye irritation.	
H336 May cause drowsiness or dizziness. H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H331	Toxic if inhaled.	
H370 Causes damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H335	May cause respiratory irritation.	
H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H336	May cause drowsiness or dizziness.	
H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H370	Causes damage to organs.	
H410 Very toxic to aquatic life with long lasting effects. Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H371	May cause damage to organs.	
Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H400	Very toxic to aquatic life.	
Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	H410	Very toxic to aquatic life with long lasting effects.	
Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 1 Specific target organ toxicity – single exposure, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
STOT SE 1 Specific target organ toxicity – single exposure, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	Skin Sens. 1	Skin sensitisation, Category 1	
	STOT SE 1	Specific target organ toxicity – single exposure, Category 1	
STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	
	STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.